



# Safety Work



PLACE EVERY STEP AT

**WORK  
WITH**

**SAFETY**

# THAK<sup>®</sup>

## SAFETY SHOE

### ABOUT US

Thar Safety Shoes is one of the largest manufacturers and exporters of Industrial Safety Shoes and Gumboots. The footwear range from Safety Boots to PVC Safety Shoes to PU Safety Boots.

We also offer Work Safety Shoes, Leather Safety Shoes, and many more. Some of the safety shoes are also suitable for women. These safety shoes and gumboots have reinforced toes and resilient material that protects the workers' feet from hazards imminent at some workplaces.

Thar Safety Shoes is considered an essential Personal Protective Equipment (PPE) at many industrial and construction work-sites. Thar Safety Shoes and Gumboots are designed to protect industrial workers from airborne matter, chemicals, electrical, heavy objects, mud and sludge, hot objects, and biohazards.

FEEL  
SAFE  
WITH  
US



ANTIBACTERIAL



ANTI-SLIP  
SOLE



ELECTROSTATIC  
DISSIPATIVE



ENERGY ABSORPTION  
IN THE HEEL REGION

# THAK<sup>®</sup>

## SAFETY SHOE



SAFETY SHOES

PLACE EVERY STEP AT  
WORK WITH SAFETY

**THAR**<sup>®</sup>  
SAFETY SHOE

ARTICLE:

## LION

SIZE: 6X11

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	CE CERTIFIED
UPPER FEATURES	100% SYNTHETIC LEATHER IN BARTON PRINT
QUARTER FEATURES	SOFT BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	IMPORTED, POWDER COATED ALLOY TOE CAP WITH 140 JOULES IMPACT RESISTANT
SOLE FEATURES	<ul style="list-style-type: none"> <li>▷ SINGLE DENSITY PVC SOLE FOR ENHANCED COMFORT, DURABILITY &amp; SAFETY</li> <li>▷ OIL/ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</li> <li>▷ CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</li> </ul>
SOLE TEMPERATURE RESISTANCE	MAX 120 ° C FOR 1 MINUTE EXPOSURE



### FEATURES



ARTICLE:

## TIGER

SIZE: 6X11

DISTINGUISHED FEATURES	HIGH ANKLE LIGHT WEIGHT
CERTIFICATION	CE CERTIFIED
UPPER FEATURES	100% SYNTHETIC LEATHER IN BARTON PRINT
QUARTER FEATURES	SOFT BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	IMPORTED, POWDER COATED ALLOY TOE CAP WITH 140 JOULES IMPACT RESISTANT
SOLE FEATURES	<ul style="list-style-type: none"> <li>▷ SINGLE DENSITY PVC SOLE FOR ENHANCED COMFORT, DURABILITY &amp; SAFETY</li> <li>▷ OIL/ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</li> <li>▷ CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</li> </ul>
SOLE TEMPERATURE RESISTANCE	MAX 120 ° C FOR 1 MINUTE EXPOSURE



### FEATURES



PLACE EVERY STEP AT  
WORK WITH SAFETY

**THAR**<sup>®</sup>  
SAFETY SHOE

ARTICLE:

## POWER

SIZE: 6X11

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	CE CERTIFIED
UPPER FEATURES	100% SYNTHETIC LEATHER IN BARTON PRINT
QUARTER FEATURES	SOFT BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	IMPORTED, POWDER COATED ALLOY TOE CAP WITH 140 JOULES IMPACT RESISTANT
SOLE FEATURES	<ul style="list-style-type: none"> <li>▷ SINGLE DENSITY PVC SOLE FOR ENHANCED COMFORT, DURABILITY &amp; SAFETY</li> <li>▷ OIL/ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</li> <li>▷ CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</li> </ul>
SOLE TEMPERATURE RESISTANCE	MAX 120 ° C FOR 1 MINUTE EXPOSURE



### FEATURES



ARTICLE:

## BULLET

SIZE: 6X11

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	CE CERTIFIED
UPPER FEATURES	100% SYNTHETIC LEATHER IN BARTON PRINT
INSOCKS	MEMORY COMFORT INSOCKS: IT IS PU INSOCK THAT FORMS CONTOURS ACCORDING TO THE SHAPE OF THE FEET THAT HELPS IN NICE DISTRIBUTION OF BODY WEIGHT ACROSS THE FEET. THE FOAM GIVES A PERMANENT SENSE OF COMFORT UPON STEPPING AND REDUCES THE FATIGUE CONSIDERABLY.
QUARTER FEATURES	SOFT BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	IMPORTED, POWDER COATED ALLOY TOE CAP WITH 140 JOULES IMPACT RESISTANT
SOLE FEATURES	<ul style="list-style-type: none"> <li>▷ SINGLE DENSITY PVC SOLE FOR ENHANCED COMFORT, DURABILITY &amp; SAFETY</li> <li>▷ OIL/ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</li> <li>▷ CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</li> </ul>
SOLE TEMPERATURE RESISTANCE	MAX 120 ° C FOR 1 MINUTE EXPOSURE



SUPER SOFT  
INSOLE



### FEATURES



PLACE EVERY STEP AT  
WORK WITH SAFETY

# THAR® SAFETY SHOE

ARTICLE:

## BULLET

SIZE: 6X11

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	CE CERTIFIED
UPPER FEATURES	100% SYNTHETIC LEATHER IN BARTON PRINT
INSOCKS	MEMORY COMFORT INSOCKS: IT IS PU INSOCK THAT FORMS CONTOURS ACCORDING TO THE SHAPE OF THE FEET THAT HELPS IN NICE DISTRIBUTION OF BODY WEIGHT ACROSS THE FEET. THE FOAM GIVES A PERMANENT SENSE OF COMFORT UPON STEPPING AND REDUCES THE FATIGUE CONSIDERABLY.
QUARTER FEATURES	SOFT BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	IMPORTED, POWDER COATED ALLOY TOE CAP WITH 140 JOULES IMPACT RESISTANT
SOLE FEATURES	<ul style="list-style-type: none"> <li>➤ SINGLE DENSITY PVC SOLE FOR ENHANCED COMFORT, DURABILITY &amp; SAFETY</li> <li>➤ OIL/ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</li> <li>➤ CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</li> </ul>

SOLE TEMPERATURE RESISTANCE	MAX 120 ° C FOR 1 MINUTE EXPOSURE
-----------------------------	-----------------------------------



SUPER SOFT  
INSOLE



ARTICLE:

## BULLET

SIZE: 6X11

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	CE CERTIFIED
UPPER FEATURES	100% SYNTHETIC LEATHER IN BARTON PRINT
INSOCKS	MEMORY COMFORT INSOCKS: IT IS PU INSOCK THAT FORMS CONTOURS ACCORDING TO THE SHAPE OF THE FEET THAT HELPS IN NICE DISTRIBUTION OF BODY WEIGHT ACROSS THE FEET. THE FOAM GIVES A PERMANENT SENSE OF COMFORT UPON STEPPING AND REDUCES THE FATIGUE CONSIDERABLY.
QUARTER FEATURES	SOFT BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	IMPORTED, POWDER COATED ALLOY TOE CAP WITH 140 JOULES IMPACT RESISTANT
SOLE FEATURES	<ul style="list-style-type: none"> <li>➤ SINGLE DENSITY PVC SOLE FOR ENHANCED COMFORT, DURABILITY &amp; SAFETY</li> <li>➤ OIL/ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</li> <li>➤ CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</li> </ul>

SOLE TEMPERATURE RESISTANCE	MAX 120 ° C FOR 1 MINUTE EXPOSURE
-----------------------------	-----------------------------------



SUPER SOFT  
INSOLE



PLACE EVERY STEP AT  
WORK WITH SAFETY

# THAR® SAFETY SHOE

ARTICLE:

## HUMMER

SIZE: 6X11

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	CE CERTIFIED
UPPER FEATURES	OUR FLYKNIT RANGE OF SPORTY SAFETY SHOES ARE EXTREMELY COMFORTABLE AND STYLISH. IT'S MADE OF STRONG BUT LIGHTWEIGHT STRANDS OF YARN. FLYKNIT TECHNOLOGY USES HIGH-STRENGTH FIBRES TO CREATE LIGHTWEIGHT ONE-PIECE UPPERS WITH TARGETED AREAS OF SUPPORT, STRETCH AND BREATHABILITY.
INSOCKS	MEMORY COMFORT INSOCKS: IT IS PU INSOCK THAT FORMS CONTOURS ACCORDING TO THE SHAPE OF THE FEET THAT HELPS IN NICE DISTRIBUTION OF BODY WEIGHT ACROSS THE FEET. THE FOAM GIVES A PERMANENT SENSE OF COMFORT UPON STEPPING AND REDUCES THE FATIGUE CONSIDERABLY.
QUARTER FEATURES	SOFT BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	IMPORTED, POWDER COATED ALLOY TOE CAP WITH 140 JOULES IMPACT RESISTANT
SOLE FEATURES	<ul style="list-style-type: none"> <li>➤ SINGLE DENSITY PVC SOLE FOR ENHANCED COMFORT, DURABILITY &amp; SAFETY</li> <li>➤ OIL/ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</li> <li>➤ CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</li> </ul>

SOLE TEMPERATURE RESISTANCE	MAX 120 ° C FOR 1 MINUTE EXPOSURE
-----------------------------	-----------------------------------



SUPER SOFT  
INSOLE



ARTICLE:

## HUMMER

SIZE: 6X11

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	CE CERTIFIED
UPPER FEATURES	OUR FLYKNIT RANGE OF SPORTY SAFETY SHOES ARE EXTREMELY COMFORTABLE AND STYLISH. IT'S MADE OF STRONG BUT LIGHTWEIGHT STRANDS OF YARN. FLYKNIT TECHNOLOGY USES HIGH-STRENGTH FIBRES TO CREATE LIGHTWEIGHT ONE-PIECE UPPERS WITH TARGETED AREAS OF SUPPORT, STRETCH AND BREATHABILITY.
INSOCKS	MEMORY COMFORT INSOCKS: IT IS PU INSOCK THAT FORMS CONTOURS ACCORDING TO THE SHAPE OF THE FEET THAT HELPS IN NICE DISTRIBUTION OF BODY WEIGHT ACROSS THE FEET. THE FOAM GIVES A PERMANENT SENSE OF COMFORT UPON STEPPING AND REDUCES THE FATIGUE CONSIDERABLY.
QUARTER FEATURES	SOFT BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	IMPORTED, POWDER COATED ALLOY TOE CAP WITH 140 JOULES IMPACT RESISTANT
SOLE FEATURES	<ul style="list-style-type: none"> <li>➤ SINGLE DENSITY PVC SOLE FOR ENHANCED COMFORT, DURABILITY &amp; SAFETY</li> <li>➤ OIL/ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</li> <li>➤ CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</li> </ul>

SOLE TEMPERATURE RESISTANCE	MAX 120 ° C FOR 1 MINUTE EXPOSURE
-----------------------------	-----------------------------------



SUPER SOFT  
INSOLE



PLACE EVERY STEP AT  
WORK WITH SAFETY

# THAR®

## SAFETY SHOE

ARTICLE:

### HUMMER

SIZE: 6X11

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	CE CERTIFIED
UPPER FEATURES	OUR FLYKNIT RANGE OF SPORTY SAFETY SHOES ARE EXTREMELY COMFORTABLE AND STYLISH. IT'S MADE OF STRONG BUT LIGHTWEIGHT STRANDS OF YARN. FLYKNIT TECHNOLOGY USES HIGH-STRENGTH FIBRES TO CREATE LIGHTWEIGHT ONE-PIECE UPPERS WITH TARGETED AREAS OF SUPPORT, STRETCH AND BREATHABILITY.
INSOCKS	MEMORY COMFORT INSOCKS: IT IS PU INSOCK THAT FORMS CONTOURS ACCORDING TO THE SHAPE OF THE FEET THAT HELPS IN NICE DISTRIBUTION OF BODY WEIGHT ACROSS THE FEET. THE FOAM GIVES A PERMANENT SENSE OF COMFORT UPON STEPPING AND REDUCES THE FATIGUE CONSIDERABLY.
QUARTER FEATURES	SOFT BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	IMPORTED, POWDER COATED ALLOY TOE CAP WITH 140 JOULES IMPACT RESISTANT
SOLE FEATURES	<ul style="list-style-type: none"> <li>➤ SINGLE DENSITY PVC SOLE FOR ENHANCED COMFORT, DURABILITY &amp; SAFETY</li> <li>➤ OIL/ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</li> <li>➤ CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</li> </ul>
SOLE TEMPERATURE RESISTANCE	MAX 120 ° C FOR 1 MINUTE EXPOSURE



SUPER SOFT  
INSOLE



#### FEATURES



ARTICLE:

### POWER

SIZE: 6X11

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	CE CERTIFIED
UPPER FEATURES	100% SYNTHETIC LEATHER IN BARTON PRINT
QUARTER FEATURES	SOFT BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	IMPORTED, POWDER COATED ALLOY TOE CAP WITH 140 JOULES IMPACT RESISTANT
SOLE FEATURES	<ul style="list-style-type: none"> <li>➤ SINGLE DENSITY PVC SOLE FOR ENHANCED COMFORT, DURABILITY &amp; SAFETY</li> <li>➤ OIL/ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</li> <li>➤ CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</li> </ul>
SOLE TEMPERATURE RESISTANCE	MAX 120 ° C FOR 1 MINUTE EXPOSURE



#### FEATURES



PLACE EVERY STEP AT  
WORK WITH SAFETY

# THAR®

## SAFETY SHOE

ARTICLE:

### S-4

SIZE: 6X11

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	CE CERTIFIED
UPPER FEATURES	100% SYNTHETIC LEATHER IN BARTON PRINT
QUARTER FEATURES	SOFT BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	IMPORTED, POWDER COATED ALLOY TOE CAP WITH 140 JOULES IMPACT RESISTANT
SOLE FEATURES	<ul style="list-style-type: none"> <li>➤ SINGLE DENSITY PVC SOLE FOR ENHANCED COMFORT, DURABILITY &amp; SAFETY</li> <li>➤ OIL/ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</li> <li>➤ CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</li> </ul>
SOLE TEMPERATURE RESISTANCE	MAX 120 ° C FOR 1 MINUTE EXPOSURE



#### FEATURES



ARTICLE:

### PILOT

SIZE: 6X11

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	CE CERTIFIED
UPPER FEATURES	100% SYNTHETIC LEATHER IN BARTON PRINT
QUARTER FEATURES	SOFT BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	IMPORTED, POWDER COATED ALLOY TOE CAP WITH 140 JOULES IMPACT RESISTANT
SOLE FEATURES	<ul style="list-style-type: none"> <li>➤ SINGLE DENSITY PVC SOLE FOR ENHANCED COMFORT, DURABILITY &amp; SAFETY</li> <li>➤ OIL/ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</li> <li>➤ CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</li> </ul>
SOLE TEMPERATURE RESISTANCE	MAX 120 ° C FOR 1 MINUTE EXPOSURE



#### FEATURES

